

Declaration of Performance

CONSTRUCTION PRODUCTS REGULATION
2011 DECLARATION OF PERFORMANCE

No. DoP / XL015

1. Unique identification code of the product—type:
XL2075, XL2076 and XL2077 Tubular Latches
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:
XL2075, XL2076 and XL2077 Tubular Latches
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:
For use on fire and smoke compartmentation doors, when fitted in accordance with the manufacturer's fitting instructions.
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):
**Excel Architectural Hardware Limited
Errisbeg House, Barton Turn, Barton Under Needwood, Burton Upon Trent, Staffordshire, DE13 8EB**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):
N/A
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:
System 1
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:
EN 11209:2003 Notified Body No. 1121 issued the EC Certificate.
8. European Technical Assessment:
N/A
9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
5 CLASSIFICATION		
5.1.2 Re-latching force of latch bolt	Greater than 2.5 N	EN 11209:2003 / AC 2005
5.4.2 Closing Force	Grade 4 - Up to 100 kg door mass, 25 N max. closing force	
5.3.1 Durability	Grade M - 200 000 cycles, 25 N side load on latch bolt	
Ability to maintain the door in the closed position and not contribute to the spread of fire	Grade 1	
Dangerous Substances Annex ZA3	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the latches do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Chris Gorse

Managing Director

Excel Architectural Hardware Limited
Errisbeg House, Barton Turn, Barton Under Needwood, Burton Upon Trent, Staffordshire, DE13 8EB, United Kingdom
3rd April, 2018